SUBARU

OUTBACK



SPECIFICATIONS

Item			Symmetrical AWD (All-Wheel Drive) 2.5i-LIMITED EyeSight 2.5L Direct Injection Lineartronic
Engine			
Type			Horizontally opposed, 4-cylinder, 4-stroke, petrol engine
			DOHC 16-valve
Bore/Stroke		mm	94.0 × 90.0
Capacity		cc	2498
Compression ratio			12.0
Fuel system			Direct fuel injection
Fuel tank capacity		lit.	63
Perfomance			
Max. output (DIN)		kW (PS) / rpm	124 (169) / 5,000 – 5,800
Max. torque (DIN)		Nm (kgfm) / rpm	252 (25.7) / 3,800
Max. speed		km/h	193
Acceleration (0-100 km/h)		sec.	10.2
Fuel consumption*1	Low	lit./100 km	12.2
	Medium	lit./100 km	8.1
	High	lit./100 km	7.1
	Extra-High	lit./100 km	8.7
	Combined	lit./100 km	8.6
CO_2 emissions*1	Low	g/km	276
	Medium	g/km	183
	High	g/km	161
	Extra-High	g/km	196
	Combined	g/km	193
External noise level*2		dB(A)	67
Drivetrain			
All-Wheel Drive type			Active Torque Split AWD system
Dimensions & weight			
Overall length		mm	4870
Overall width		mm	1875
Overall height		mm	1675
Wheelbase		mm	2745

Item			Symmetrical AWD (All-Wheel Drive) 2.5i-LIMITED EyeSight 2.5L Direct Injection Lineartronic
Track	Front	mm	1570
	Rear	mm	1600
Minimum road clearance (at kerb weight)		mm	213
Cargo volume*3		lit.	1822
Seating capacity		persons	5
Kerb weight		kg	1643
Towing capacity		kg	2000
Transmission			
Gear ratio	D range (Lineartronic)		4.066 – 0.503
	1st		4.066 (Manual mode)
	2nd		2.628 (Manual mode)
	3rd		1.911 (Manual mode)
	4th		1.490 (Manual mode)
	5th		1.166 (Manual mode)
	6th		0.914 (Manual mode)
	7th		0.717 (Manual mode)
	8th		0.559 (Manual mode)
	Reverse		4.379
Final drive axle ratio			3.900
Chassis			
Steering			Rack and pinion, electric power steering system
Suspension (4-wheel independent)	Front		MacPherson strut type
	Rear		Double wishbone type
Minimum turning circle at tyre (radius)		m	5.5
Brakes	Front		Ventilated disc brakes
	Rear		Ventilated disc brakes
Tyre/wheel size			225/60R18, 18×7"J

*1 Fuel consumption and CO_2 emissions: according to EC 715/2007 - 2018/1832AP.
*2 External noise: according to UN R51-03.
*3 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

SPECIFICATIONS

Item			Symmetrical AWD (All-Wheel Drive)	
			2.5i-FIELD EyeSight	2.5i-TOURING EyeSight
			2.5L Direct Injection	
			Lineartronic	
Engine				
Type			Horizontally opposed, 4-cylinder, 4-stroke, petrol engine	
			DOHC 16-valve	
Bore/Stroke		mm	94.0 × 90.0	
Capacity		cc	2498	
Compression ratio			12.0	
Fuel system			Direct fuel injection	
Fuel tank capacity		lit.	63	
Perfomance				
Max. output (DIN)		kW (PS) /rpm	124 (169) / 5,000 – 5,800	
Max. torque (DIN)		Nm (kgfm) /rpm	252 (25.7) / 3,800	
Max. speed		km/h	193	
Acceleration (0-100 km/h)		sec.	10.2	
Fuel consumption*1	Low	lit./100 km	12.2	
	Medium	lit./100 km	8.1	
	High	lit./100 km	7.1	
	Extra-High	lit./100 km	8.7	
	Combined	lit./100 km	8.6	
CO_2 emissions*1	Low	g/km	276	
	Medium	g/km	183	
	High	g/km	161	
	Extra-High	g/km	196	
	Combined	g/km	193	
External noise level*2		dB(A)	67	
Drivetrain				
All-Wheel Drive type			Active Torque Split AWD system	
Dimensions & weight				
Overall length		mm	4870	
Overall width		mm	1875	
Overall height		mm	1670	1675
Wheelbase		mm	2745	

Item			Symmetrical AWD (All-Wheel Drive)	
			2.5i-FIELD EyeSight	2.5i-TOURING EyeSight
			2.5L Direct Injection	
			Lineartronic	
Track	Front	mm	1570	
	Rear	mm	1600	
Minimum road clearance (at kerb weight)		mm	213	
Cargo volume*3		lit.	1822 / 1750*4	
Seating capacity		persons	5	
Kerb weight		kg	1644	1666
Towing capacity		kg	2000	
Transmission				
Gear ratio	D range (Lineartronic)		4.066 – 0.503	
	1st		4.066 (Manual mode)	
	2nd		2.628 (Manual mode)	
	3rd		1.911 (Manual mode)	
	4th		1.490 (Manual mode)	
	5th		1.166 (Manual mode)	
	6th		0.914 (Manual mode)	
	7th		0.717 (Manual mode)	
	8th		0.559 (Manual mode)	
	Reverse		4.379	
Final drive axle ratio			3.900	
Chassis				
Steering			Rack and pinion, electric power steering system	
Suspension (4-wheel independent)	Front		MacPherson strut type	
	Rear		Double wishbone type	
Minimum turning circle at tyre (radius)		m	5.5	
Brakes	Front		Ventilated disc brakes	
	Rear		Ventilated disc brakes	
Tyre/wheel size			225/60R18, 18×7″J	

*1 Fuel consumption and CO_2 emissions: according to EC 715/2007 - 2018/1832AP.
*2 External noise: according to UN R51-03.
*3 Measured by VDA (V214).
*4 Measurement with Sunroof.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection		
Exterior			
LED Headlamps with Auto-leveliser	●	●	●
LED Front Fog Lamps	●	●	●
LED Rear Combination Lamps	●	●	●
LED Rear Fog Lamp	●	●	●
Power-folding Door Mirrors	●	●	–
Key-linked Folding Door Mirrors	–	–	●
UV Protection Glass: Front Side Windows	●	●	●
Privacy Glass for Rear Side Windows, Rear Quarters, and Rear Window	●	●	●
18-inch Aluminium-alloy Wheels (dark gray)	●	–	–
18-inch Aluminium-alloy Wheels (dark metallic)	–	●	–
18-inch Aluminium-alloy Wheels (machined)	–	–	●
High Gloss Black Front and Rear Bumper Guards	–	●	–
Silver-plated Front and Rear Underguards	●	–	●
Side Claddings	●*1	●*2	●*1
Power-sliding, Tilt-adjustable Glass Sunroof	–	–	●
Roof Rails	–	●	–
Cross Bar Roof Rails	●	–	●
Roof Spoiler	●	●	●
Shark Fin Antenna	●	●*3	●

Standard on all models: • Auto On/Off Headlamps • Pop-up Type Headlamp Washers
• Variable Intermittent Windshield Wipers • Automatic Rain-sensing Windshield Wipers
• Intermittent Rear Window Wiper

Seating / Trims			
Leather-wrapped Steering Wheel with Silver Stitching	●	●	–
Smooth Leather-wrapped Steering Wheel with Silver Stitching	–	–	●
Leather-wrapped Gearshift Knob	●	●	●
Heated Steering Wheel	●	●	●
Fabric Seats	●	–	–
Polyurethane Seats	–	●	–
Nappa Leather Seats	Option	–	●
Front Seat Heaters	●	●	●
Rear Seat Heaters	●	●	●
10-way Power-adjustable Driver's Seat with Lumbar Support	●	●	●
Driver's Memory Seat-linked Door Mirrors with Reverse Auto-tilt	–	–	●
Driver's Seat with Length-adjustable Seat Cushion	●	●	●
8-way Power-adjustable Front Passenger's Seat	●	●	●
60/40-split Folding Rear Seatbacks	●	●	●
Reclining Rear Seatbacks	●	●	●
One-touch Folding Rear Seatbacks	●	●	●
Adjustable Front Headrests	●	●	●
Divided Seatback Pockets (behind both front seats)	●	●	●

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection		
Comfort / Convenience			
Keyless Access with Push-button Start System	●	●	●
PIN Code Access	●	●	●
Centre Console Side Pocket (passenger's side)	●	●	●
Passenger-side Front Tray	●	●	●
Two 12-volt Power Outlets (in glove box and luggage space)	●	●	●
Hands-free Power Rear Gate	Option	Option	●
Cargo Hooks (x4)	●	–	–
Cargo Hooks (x8)	–	●	●
Lifting and Retractable Cargo-area Cover	●	●	●
Storage Box (under cargo floor)	●	●	●
Tyre Repair Kit	●	●	●

Standard on all models: • Power Windows*4 • Welcome Lighting • One-touch Lane Change Signal
• Map Lights • Cargo Light • Courtesy Door Lights (front)
• Vanity Mirror with Cover and Lights (driver and front passenger) • Centre Console Ambient Light
• Overhead Console Box • Centre Console Box • 2 Front Cup Holders (in centre console)
• Door Pockets with Bottle Holders (on all side doors) • Rear Seat Centre Armrest with 2 Cup Holders

Climate Control			
Dual-zone Automatic Air-conditioning System	●	●	●
Voice-controlled Air-conditioning	●	●	●
Heated Door Mirrors	●	●	●

Standard on all models: • Rear Ventilation System • Windshield Wiper De-icer
• Electric Rear Window Defogger with Timer

Entertainment			
11.6-inch Full HD Display Audio System with 6 Speakers	●	●	●
11.6-inch Full HD Display Audio System with Navigation and 6 Speakers	Option	Option	Option
11.6-inch Full HD Display Premium Audio System with Navigation, 11 Harman/Kardon Speakers + Subwoofer + 8 Channel Amplifier	–	–	Option
SUBARU STARLINK Infotainment System	●	●	●
Apple CarPlay*5 / Android Auto*6 Infotainment System*7	●	●	●
Steering Wheel-mounted Audio Remote Control Switches	●	●	●
Voice Recognition System	●	●	●
Bluetooth®*8 Audio Streaming and Hands-free Phone Connectivity	●	●	●
Dual USB Ports and Auxiliary Audio Input Jack (in centre panel)	●	●	●
Dual USB Ports behind Centre Console Box (power only)	●	●	●
Control / Instruments			
Dual-gauge Layout with Full-colour LCD Meter Display	●	●	●
Tilt-adjustable / Telescopic Steering Wheel	●	●	●
Paddle Shifters	●	●	●
Cruise Control	●	●	●
Aluminium Pedals	–	●	●

STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection		
Drivability			
SI-DRIVE (SUBARU Intelligent Drive)*9	●	●	●
Dual-function X-MODE	●	●	●
Hill Descent Control	●	●	●
Auto Vehicle Hold	●	●	●
Active Torque Vectoring	●	●	●
Vehicle Dynamics Control System	●	●	●
Standard on all models: • Auto Start Stop • Electronic Parking Brake			
EyeSight			
Pre-Collision Braking System	●	●	●
Autonomous Emergency Steering	●	●	●
Adaptive Cruise Control	●	●	●
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	●	●	●
Lane Departure Prevention*10	●	●	●
Emergency Lane Keep Assist	●	●	●
Pre-Collision Throttle Management	●	●	●
Lead Vehicle Start Alert	●	●	●
Traffic Sign Recognition	●	●	●
Intelligent Speed Limiter	●	●	●
Manual Speed Limiter	●	●	●
Vibrating Steering Wheel*11	●	●	●
EyeSight Assist Monitor	●	●	●
Safety			
Front SRS*12 Airbags	●	●	●
Front Side SRS*12 Airbags (driver and front passenger)	●	●	●
Curtain SRS*12 Airbags (front and rear, both sides)	●	●	●
Knee SRS*12 Airbag (driver)	●	●	●
Seat Cushion SRS*12 Airbag (front passenger)	●	●	●
Steering Responsive Headlights (SRH)	●	●	●
Adaptive Driving Beam (ADB)	●	●	●
Subaru Rear Vehicle Detection (SRVD)	●	●	●
Reverse Automatic Braking (RAB)	●	●	●
Multi-view Monitor System	–	–	●
Rear View Camera	●	●	●
Driver Monitoring System (DMS)	●	●	●
e-Call (emergency call system)	●	●	●
Standard on all models: • Seatbelt Indicator • Height-adjustable Seatbelt Anchors (driver and front passenger) • Locking-tongue Front Seatbelts with Pretensioners and Load Limiters • Rear 3-point Seatbelts for 3 Seating Positions • 4-wheel Antilock Braking System (ABS) • Brake Assist System • Brake Override • Post-Collision Brake Control • ISO-FIX Adapted Child Seat Anchors (with tether anchors) • Rear Seat Reminder • Child-proof Rear Door Locks (both sides) • Engine Immobiliser			

*1 Silver Outback logo.
*2 Green Outback logo.
*3 FIELD model comes with a crystal black antenna.
*4 Front side and rear side windows have auto up/down function with pinch protection.
*5 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.
*6 Android and Android Auto are trademarks of Google Inc.
*7 Apple CarPlay and/or Android Auto may not be available for all models and regions.
*8 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.
*9 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).
*10 Helps prevent unintended road departure, even on roads without lane markings. By recognising boundaries outside the road such as grass, it can assist with steering operation to keep your vehicle in the lane.
*11 Can deactivate vibration and switch to audible alarm via 11.6-inch touchscreen display.
*12 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Standard and optional features, model lineup may vary according to market.
Please contact your local authorised Subaru retailer for more details.
Specifications may vary according to individual market. Please contact your local authorised Subaru retailer for more details.

SUBARU CORPORATION
Printed in Belgium (22BGSPEC01SS)