



OUTBACK |



SPECIFICATIONS

Item		Symmetrical AWD (All-Wheel Drive)	
		2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight
		2.5L Direct Injection	
		Lineartronic	
Engine			
Type		Horizontally opposed, 4-cylinder, 4-stroke, petrol engine	
		DOHC 16-valve	
Bore/Stroke		mm	94.0 × 90.0
Capacity		cc	2498
Compression ratio			12.0
Fuel system			Direct fuel injection
Fuel tank capacity		lit.	63
Performance			
Max. output (DIN)		kW (PS) / rpm	124 (169) / 5,000 – 5,800
Max. torque (DIN)		Nm (kgfm) / rpm	252 (25.7) / 3,800
Max. speed		km/h	193
Acceleration (0-100 km/h)		sec.	10.2
Fuel consumption*1	Low	lit./100 km	12.2
	Medium	lit./100 km	8.1
	High	lit./100 km	7.1
	Extra-High	lit./100 km	8.7
	Combined	lit./100 km	8.6
CO ₂ emissions*1	Low	g/km	276
	Medium	g/km	183
	High	g/km	161
	Extra-High	g/km	196
	Combined	g/km	193
External noise level*2		dB(A)	67
Drivetrain			
All-Wheel Drive type		Active Torque Split AWD system	
Dimensions & weight			
Overall length		mm	4870
Overall width		mm	1875
Overall height		mm	16751670
Wheelbase		mm	2745

*1 Fuel consumption and CO2 emissions: according to EC 715/2007 - 2018/1832AP.

*2 External noise: according to EU 540/2014 - 2019/839.

*3 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

Item			Symmetrical AWD (All-Wheel Drive)	
			2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight
			2.5L Direct Injection	
			Lineartronic	
Track	Front	mm	1570	
	Rear	mm	1600	
Minimum road clearance (at kerb weight)		mm	213	
Cargo volume*3		lit.	1822	
Seating capacity		persons	5	
Kerb weight		kg	1643	1644
Towing capacity		kg	2000	
Transmission				
Gear ratio	D range (Lineartronic)		4.066 - 0.503	
	1st		4.066 (Manual mode)	
	2nd		2.628 (Manual mode)	
	3rd		1.911 (Manual mode)	
	4th		1.490 (Manual mode)	
	5th		1.166 (Manual mode)	
	6th		0.914 (Manual mode)	
	7th		0.717 (Manual mode)	
	8th		0.559 (Manual mode)	
Reverse		4.379		
Final drive axle ratio		3.900		
Chassis				
Steering			Rack and pinion, electric power steering system	
Suspension (4-wheel independent)	Front		MacPherson strut type	
	Rear		Double wishbone type	
Minimum turning circle at tyre (radius)			m5.5	
Brakes	Front		Ventilated disc brakes	
	Rear		Ventilated disc brakes	
Tyre/wheel size			225/60R18, 18×7"J	

SPECIFICATIONS

Item			Symmetrical AWD (All-Wheel Drive)		
			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	
			2.5L Direct Injection		
			Lineartronic		
Engine					
Type			Horizontally opposed, 4-cylinder, 4-stroke, petrol engine		
			DOHC 16-valve		
Bore/Stroke			mm	94.0 × 90.0	
Capacity			cc	2498	
Compression ratio				12.0	
Fuel system				Direct fuel injection	
Fuel tank capacity			lit.	63	
Performance					
Max. output (DIN)			kW (PS) /rpm	124 (169) / 5,000 - 5,800	
Max. torque (DIN)			Nm (kgfm) /rpm	252 (25.7) / 3,800	
Max. speed			km/h	193	
Acceleration (0-100 km/h)			sec.	10.2	
Fuel consumption*1	Low	lit./100 km	12.2		
	Medium	lit./100 km	8.1		
	High	lit./100 km	7.1		
	Extra-High	lit./100 km	8.7		
	Combined	lit./100 km	8.6		
CO ₂ emissions*1	Low	g/km	276		
	Medium	g/km	183		
	High	g/km	161		
	Extra-High	g/km	196		
	Combined	g/km	193		
External noise level*2			dB(A)	67	
Drivetrain					
All-Wheel Drive type			Active Torque Split AWD system		
Dimensions & weight					
Overall length			mm	4870	
Overall width			mm	1875	
Overall height			mm	1670	1675
Wheelbase			mm	2745	

*1 Fuel consumption and CO2 emissions: according to EC 715/2007 - 2018/1832AP.

*2 External noise: according to EU 540/2014 - 2019/839.

*3 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

Item			Symmetrical AWD (All-Wheel Drive)		
			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	
			2.5L Direct Injection		
			Lineartronic		
Track	Front	mm	1570		
	Rear	mm	1600		
Minimum road clearance (at kerb weight)			mm	213	
Cargo volume* ³			lit.	1750	
Seating capacity			persons	5	
Kerb weight			kg	1665	1666
Towing capacity			kg	2000	
Transmission					
Gear ratio	D range (Lineartronic)		4.066 – 0.503		
	1st		4.066 (Manual mode)		
	2nd		2.628 (Manual mode)		
	3rd		1.911 (Manual mode)		
	4th		1.490 (Manual mode)		
	5th		1.166 (Manual mode)		
	6th		0.914 (Manual mode)		
	7th		0.717 (Manual mode)		
	8th		0.559 (Manual mode)		
Reverse		4.379			
Final drive axle ratio			3.900		
Chassis					
Steering			Rack and pinion, electric power steering system		
Suspension (4-wheel independent)	Front		MacPherson strut type		
	Rear		Double wishbone type		
Minimum turning circle at tyre (radius)			m	5.5	
Brakes	Front		Ventilated disc brakes		
	Rear		Ventilated disc brakes		
Tyre/wheel size			225/60R18, 18×7"J		

STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection			
Exterior				
LED Headlamps with Auto-leveliser	●	●	●	●
LED Front Fog Lamps	●	●	●	●
LED Rear Combination Lamps	●	●	●	●
LED Rear Fog Lamp	●	●	●	●
Power-folding Door Mirrors	●	●	—	—
Key-linked Folding Door Mirrors	—	—	●	●
UV Protection Glass: Front Side Windows	●	●	●	●
Privacy Glass for Rear Side Windows, Rear Quarters, and Rear Window	●	●	●	●
18-inch Aluminium-alloy Wheels (dark gray)	●	—	—	—
18-inch Aluminium-alloy Wheels (dark metallic)	—	●	●	—
18-inch Aluminium-alloy Wheels (machined)	—	—	—	●
High Gloss Black Front and Rear Bumper Guards	—	●	●	—
Silver-plated Front and Rear Underguards	●	—	—	●
Side Claddings	●*1	●*2	●*2	●*1
Power-sliding, Tilt-adjustable Glass Sunroof	—	—	●	●
Roof Rails	—	●	●	—
Cross Bar Roof Rails	●	—	—	●
Roof Spoiler	●	●	—	●
Roof Spoiler (crystal black)	—	—	●	—
Rear Garnish	●	●	—	●
Rear Garnish (crystal black)	—	—	●	—
Shark Fin Antenna	●	●*3	●*3	●

Standard on all models:

- Auto On/Off Headlamps
- Pop-up Type Headlamp Washers
- Variable Intermittent Windshield Wipers
- Automatic Rain-sensing Windshield Wipers
- Intermittent Rear Window Wiper

Seating / Trims				
Leather-wrapped Steering Wheel with Silver Stitching	●	●	–	–
Smooth Leather-wrapped Steering Wheel with Silver Stitching	–	–	●	●
Leather-wrapped Gearshift Knob	●	●	●	●
Heated Steering Wheel	●	●	●	●
Fabric Seats	●	–	–	–
Polyurethane Seats	–	●	–	–
Nappa Leather Seats	Option	–	●	●
Front Seat Heaters	●	●	●	●
Rear Seat Heaters	●	●	●	●
10-way Power-adjustable Driver's Seat with Lumbar Support	●	●	●	●

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection			
Driver's Memory Seat-linked Door Mirrors with Reverse Auto-tilt	–	–	●	●
Driver's Seat with Length-adjustable Seat Cushion	●	●	●	●
8-way Power-adjustable Front Passenger's Seat	●	●	●	●
60/40-split Folding Rear Seatbacks	●	●	●	●
Reclining Rear Seatbacks	●	●	●	●
One-touch Folding Rear Seatbacks	●	●	●	●
Adjustable Front Headrests	●	●	●	●
Divided Seatback Pockets (behind both front seats)	●	●	●	●
Comfort / Convenience				
Keyless Access with Push-button Start System	●	●	●	●
PIN Code Access	●	●	●	●
Centre Console Side Pocket (passenger's side)	●	●	●	●
Passenger-side Front Tray	●	●	●	●
Two 12-volt Power Outlets (in glove box and luggage space)	●	●	●	●
Hands-free Power Rear Gate	Option	Option	●	●
Cargo Hooks (x4)	●	–	–	–
Cargo Hooks (x8)	–	●	●	●
Lifting and Retractable Cargo-area Cover	●	●	●	●
Storage Box (under cargo floor)	●	●	●	●
Tyre Repair Kit	●	●	●	●

Standard on all models:

- Power Windows*4
- Welcome Lighting
- One-touch Lane Change Signal
- Map Lights
- Cargo Light
- Courtesy Door Lights (front)
- Vanity Mirror with Cover and Lights (driver and front passenger)
- Centre Console Ambient Lighting
- Overhead Console Box
- Centre Console Box
- 2 Front Cup Holders (in centre console)
- Door Pockets with Bottle Holders (on all side doors)
- Rear Seat Centre Armrest with 2 Cup Holders

Climate Control				
Dual-zone Automatic Air-conditioning System	●	●	●	●
Voice-controlled Air-conditioning	●	●	●	●
Heated Door Mirrors	●	●	●	●

Standard on all models:

- Rear Ventilation System
- Windshield Wiper De-icer
- Electric Rear Window Defogger with Timer

Entertainment				
11.6-inch Full HD Display Audio System with 6 Speakers	●	●	●	●
11.6-inch Full HD Display Audio System with Navigation and 6 Speakers	Option	Option	–	Option
11.6-inch Full HD Display Premium Audio System with Navigation, 11 Harman/Kardon Speakers + Subwoofer + 8 Channel Amplifier	–	–	Option	Option
Apple CarPlay*5 / Android Auto*6 Infotainment System*7	●	●	●	●

STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection			
PIN Code Lock	●	●	●	●
Steering Wheel-mounted Audio Remote Control Switches	●	●	●	●
Voice Recognition System	●	●	●	●
Bluetooth®** Audio Streaming and Hands-free Phone Connectivity	●	●	●	●
USB Ports (Type-A and C) and Auxiliary Audio Input Jack (in centre panel)	●	●	●	●
USB Type-A and C Power Ports behind Centre Console Box	●	●	●	●
Control / Instruments				
Dual-gauge Layout with Full-colour LCD Meter Display	●	●	●	●
Tilt-adjustable / Telescopic Steering Wheel	●	●	●	●
Paddle Shifters	●	●	●	●
Cruise Control	●	●	●	●
Aluminium Pedals	–	●	●	●
Drivability				
SI-DRIVE (SUBARU Intelligent Drive)* ⁹	●	●	●	●
Dual-function X-MODE	●	●	●	●
Hill Descent Control	●	●	●	●
Auto Vehicle Hold	●	●	●	●
Active Torque Vectoring	●	●	●	●
Vehicle Dynamics Control System	●	●	●	●

- Standard on all models:
- Auto Start Stop
 - Electronic Parking Brake

EyeSight				
Pre-Collision Braking System	●	●	●	●
Autonomous Emergency Steering	●	●	●	●
Adaptive Cruise Control	●	●	●	●
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	●	●	●	●
Lane Departure Prevention* ¹⁰	●	●	●	●
Emergency Lane Keep Assist	●	●	●	●
Pre-Collision Throttle Management	●	●	●	●
Lead Vehicle Start Alert	●	●	●	●
Traffic Sign Recognition	●	●	●	●
Intelligent Speed Limiter	●	●	●	●
Manual Speed Limiter	●	●	●	●
Vibrating Steering Wheel* ¹¹	●	●	●	●
EyeSight Assist Monitor	●	●	●	●

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
	2.5L Direct Injection			
Safety				
Front SRS* ¹² Airbags	●	●	●	●
Front Side SRS* ¹² Airbags (driver and front passenger)	●	●	●	●
Curtain SRS* ¹² Airbags (front and rear, both sides)	●	●	●	●
Knee SRS* ¹² Airbag (driver)	●	●	●	●
Seat Cushion SRS* ¹² Airbag (front passenger)	●	●	●	●
Steering Responsive Headlights (SRH)	●	●	●	●
Adaptive Driving Beam (ADB)	●	●	●	●
Subaru Rear Vehicle Detection (SRVD)	●	●	●	●
Reverse Automatic Braking (RAB)	●	●	●	●
Multi View Monitor	–	–	●	●
Rear View Camera	●	●	●	●
Driver Monitoring System	●	●	●	●
eCall (emergency call system)* ¹³	●	●	●	●

- Standard on all models:
- Seatbelt Indicator
 - Height-adjustable Seatbelt Anchors (driver and front passenger)
 - Locking-tongue Front Seatbelts with Pretensioners and Load Limiters
 - Rear 3-point Seatbelts for 3 Seating Positions
 - 4-wheel Antilock Braking System (ABS)
 - Brake Assist System
 - Brake Override
 - Post-Collision Brake Control
 - ISO-FIX Adapted Child Seat Anchors (with tether anchors)
 - Rear Seat Reminder
 - Child-proof Rear Door Locks (both sides)
 - Engine Immobiliser

*1 Silver Outback logo.
*2 Green Outback logo.
*3 FIELD and GEYSER models come with a crystal black antenna.
*4 Front side and rear side windows have auto up/down function with pinch protection.
*5 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.
*6 Android and Android Auto are trademarks of Google Inc.
*7 Apple CarPlay and/or Android Auto may not be available for all models and regions.
*8 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.
*9 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).
*10 Helps prevent unintended road departure, even on roads without lane markings. By recognising boundaries outside the road such as grass, it can assist with steering operation to keep your vehicle in the lane.
*11 Can deactivate vibration and switch to audible alarm via 11.6-inch touchscreen display.
*12 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.
*13 eCall for this vehicle cannot be used in areas where 2G networks are unavailable.

Standard and optional features, model lineup may vary according to market.
Please contact your local authorised Subaru retailer for more details.

